



LED SIGNAL / WARNING LIGHT



ECE
R10

ECE
R148

ECE
R65




Multi-function LED SCENE LIGHTS

Multi-Function LED Light both satisfy requirement for Auxiliary lighting around the vehicle ,safety signal lighting, and warning lighting , 360 degree all-round protect your driving safety .


It's widely used for heavy-duty trucks, tractors , construction vehicles, RV, trailers .etc




Multi-Function LED SCENE LIGHTS



Part no.	JCTL-06-006A 7" Amber Strobe light + White down light
Input Voltage	10-30V
Down Light	3W High power LED , 6PCS
Side Marker Light	0.5W High power LED, 21LEDs
Housing Material	Aluminium
Lens Material	PC
Lumen For Down Light	1000LM
Waterproof	IP67
Color Temperature for Down light	6500K
Current Draw	2A@12V



Down Light




Side Marker Light




Multi-Function LED SCENE LIGHTS

**ECE
R10**

**ECE
R148**




Part no.	JCTL-06-006R 7" Red Strobe light + White down light
Input Voltage	10-30V
Down Light	3W High power LED , 6PCS
Side Marker Light	0.5W High power LED, 21LEDs
Housing Material	Aluminium
Lens Material	PC
Lumen For Down Light	1000LM
Waterproof	IP67
Color Temperature for Down light	6500K
Current Draw	2A@12V



Down Light




Rear Position Light




Multi-Function LED SCENE LIGHTS

**ECE
R10**

**ECE
R148**



Part no.	JCTL-06-006W 7" White light (no strobe) + White down light
Input Voltage	10-30V
Down Light	3W High power LED , 6PCS
Side Marker Light	0.5W High power LED, 21LEDs
Housing Material	Aluminium
Lens Material	PC
Lumen For Down Light	1000LM
Waterproof	IP67
Color Temperature for Down light	6500K
Current Draw	2A@12V



Down Light




Side Marker Light




Multi-Function LED SCENE LIGHTS

**ECE
R10**


**ECE
R148**



Part no.	JCTL-06-006B 7" Blue Strobe light + White down light
Input Voltage	10-30V
Down Light	3W High power LED , 6PCS
Side Marker Light	0.5W High power LED, 21LEDs
Housing Material	Aluminium
Lens Material	PC
Lumen For Down Light	1000LM
Waterproof	IP67
Color Temperature for Down light	6500K
Current Draw	2A@12V



Down Light



Rear Position Light




**2026
NEW ARRIVAL**

MULT-FUNCTION LED SCENE LIGHT

Part no. JCTL-06-006A




Part no. JCTL-06-006R



Part no. JCTL-06-006W






Part no. JCTL-06-006B



Multi-Function LED SCENE LIGHTS

ECE
R10

ECE
R148




Part no.	JCTL-06-006A-CH 7" Amber Strobe light + White down light
Input Voltage	10-30V
Down Light	3W High power LED, 6PCS
Side Marker Light	0.5W High power LED, 21LEDs
Housing Material	Chrome
Lens Material	PC
Lumen For Down Light	1000LM
Waterproof	IP67
Color Temperature for Down light	6500K
Current Draw	2A@12V



Down Light






Side Marker Light



Multi-Function LED SCENE LIGHTS

**ECE
R10**

**ECE
R148**



Part no. JCTL-06-006R-CH 7"

**Red Strobe light +
White down light**

Input Voltage	10-30V
Down Light	3W High power LED, 6PCS
Side Marker Light	0.5W High power LED, 21LEDs
Housing Material	Chrome
Lens Material	PC
Lumen For Down Light	1000LM
Waterproof	IP67
Color Temperature for Down light	6500K
Current Draw	2A@12V




Rear Position Light



Brake Light



Down Light



Multi-Function LED SCENE LIGHTS

**ECE
R10**

**ECE
R148**





Part no.


JCTL-06-006W-CH7"

**White Strobe light +
White down light**

Input Voltage	10-30V
Down Light	3W High power LED, 6PCS
Side Marker Light	0.5W High power LED, 21LEDs
Housing Material	Chrome
Lens Material	PC
Lumen For Down Light	1000LM
Waterproof	IP67
Color Temperature for Down light	6500K
Current Draw	2A@12V



Side Marker Light



**2026
NEW ARRIVAL**

MULT-FUNCTION LED SCENE LIGHT

Chrome

Part no. JCTL-06-006A-CH




Part no. JCTL-06-006R-CH



Part no. JCTL-06-006W-CH



Part no. JCTL-06-006B-CH




LED SCENE LIGHT



► Features

Middle made with LED warning light
Certificated SAE CLASS1 / ECE R65 XA2/XB2.
Halo ring made with signal lights ECE R148 certificated
Including front position / rear position
/ drl / stop (brake)/direction / reversing functions.
Water-proof IP69K grade

► DIMENSIONS



► Amber Warning Light



Item NO.

JCTL-06-010A

LENGTH:

179.7x60.9x28mm

VOLTAGE:

10-30VDC

LUMEN:

3000LM

BEAM PATTERN:

Flood +Flash

LED QTY:

24PCS 1W OSRAM White leds

TEMPERATURE:

-45°C~+60°C

IP RATING:

IP67

APPROVAL:

ECE R65 R10 R148 SAE



► APPLICATION



LED SCENE LIGHT


LED SCENE LIGHT



► Features

Middle made with LED warning light
Certificated SAE CLASS1 / ECE R65 XA2/XB2.
Halo ring made with signal lights ECE R148 certificated
Including front position / rear position
/ drl / stop (brake)/direction / reversing functions.
Water-proof IP69K grade

► DIMENSIONS



► Blue Warning Light



Item NO.

JCTL-06-010B

LENGTH:

179.7x60.9x28mm

VOLTAGE:

10-30VDC

LUMEN:

3000LM

BEAM PATTERN:

Flood +Flash

LED QTY:

24PCS 1W OSRAM White leds

TEMPERATURE:

-45°C~+60°C

IP RATING:

IP67

APPROVAL:

ECE R65 R10 R148 SAE

LED SCENE LIGHT



► APPLICATION




LED SCENE LIGHT+TURN SIGNAL



► Features

Middle made with LED warning light
Certificated SAE CLASS1 / ECE R65 XA2/XB2.
Halo ring made with signal lights ECE R148 certificated
Including front position / rear position
/ drl / stop (brake)/direction / reversing functions.
Water-proof IP69K grade

► DIMENSIONS



► Stop/Tail Direction Indicator



Item NO.

JCTL-06-011

LENGTH:

179.7x60.9x28mm

VOLTAGE:

10-30VDC

LUMEN:

3000LM

BEAM PATTERN:

Flood +Flash

LED QTY:

24PCS 1W OSRAM White leds

TEMPERATURE:

-45°C~+60°C

IP RATING:

IP67

APPROVAL:

ECE R65 R10 R148 SAE

LED SCENE LIGHT+TURN SIGNAL



► APPLICATION



LED SCENE LIGHT



Item NO.
LTF-401207

LENGTH:
181x70x20mm

VOLTAGE:
10-30VDC

LUMEN:
1000LM

BEAM PATTERN:
Flood

LED QTY:
12W 4pc 3W Cree Leds

TEMPERATURE:
-45°C~+60°C

IP RATING:
IP67


APPROVAL:
ECE R10 R148

► Features

ECE R10 R23 certified
Water-proof IP65
Water proof, dust proof,
vibration resistant and corrosion resistant
with a 45 degree lighting angle to meet user's need

Applications:
Trucks, trailers and other commercial vehicles

► DIMENSIONS



► APPLICATION



LED SCENE LIGHT

LED SCENE LIGHT



Item NO.
JCTL-06-012

LENGTH:
156x52x16mm

VOLTAGE:
10-30VDC

LUMEN:
850LM

LED CHIPS:
Osram chips white

LED QTY:
10W

TEMPERATURE:
-45°C~+60°C

IP RATING:
IP67


APPROVAL:
ECE R10 R148

► Features

ECE R10 R23 certified
Water-proof IP67
Water proof, dust proof,
vibration resistant and corrosion resistant
with a 45 degree lighting angle to meet user's need

Applications:
Trucks, trailers and other commercial vehicles

► DIMENSIONS



► APPLICATION



LED SCENE LIGHT

LED SCENE LIGHT



Item NO.

JCTL-06-013

LENGTH:

207x52x16mm

VOLTAGE:

10-30VDC

LUMEN:

1200LM

LED CHIPS:

Osram chips white

LED QTY:

15W

TEMPERATURE:

-45°C~+60°C

IP RATING:

IP67

APPROVAL:

ECE R10 R148


► Features

ECE R10 R23 certified
Water-proof Ip67

Water proof, dust proof,
vibration resistant and corrosion resistant
with a 45 degree lighting angle to meet user's need

Applications:
Trucks, trailers and other commercial vehicles

► DIMENSIONS



► APPLICATION



LED SCENE LIGHT

LED WORK LAMPS

LED Scene Lights





LED WORK LAMPS

LED Scene Lights



PART NO.: **NC-IN-61011**

E-MARK



Specifications

- ⊙ 9W, Effective 750 Lm output
- ⊙ Aluminum housing Acrylic Lens
- ⊙ Working temperature: -40°C to +50°C
- ⊙ Waterproof IP67, shock resistance 20g
- ⊙ E-mark, CE, RoHS approved





PART NO.	LED	Color	Volt	Package	QTY / CTN	G.W	Dimension
NC-IN-61011-A	1W x 9 PCS	white	12~28V DC	Color box	40 PCS	15 Kg	50 x 33.5 x 31 CM
NC-IN-61011-B	1W x 18 PCS	white	12~28V DC	Color box	20 PCS	11.5 Kg	51 x 30 x 27 CM



Specifications

- ⊙ 27W, Effective 2250 Lm output
- ⊙ Aluminum housing Acrylic Lens
- ⊙ Working temperature: -40°C to +50°C
- ⊙ Waterproof IP67, shock resistance 20g
- ⊙ E-mark, CE, RoHS approved



PART NO.	LED	Color	Volt	Package	QTY / CTN	G.W	Dimension
NC-IN-61011-C	1W x 27 PCS	white	12~28V DC	Color box	20 PCS	16 Kg	51 x 38 x 31 CM
NC-IN-61011-D	1W x 36 PCS	white	12~28V DC	Color box	10 PCS	10.5 Kg	49.5 x 22 x 37.5 CM
NC-IN-61011-E	1W x 54 PCS	white	12~28V DC	Color box	10 PCS	12.8 Kg	62 x 22 x 37.5 CM



LED WORK LAMPS




LED Scene Lights

PART NO.: **NC-IN-61012**



Specifications

- ◎ 18W, Effective 1450 Lm output
- ◎ Aluminum housing , Polycarbonate Lens
- ◎ Working temperature: -40°C to +50°C
- ◎ Waterproof IP67, shock resistance 20g
- ◎ E-mark, CE, RoHS approved



PART NO.	LED	Color	Volt	Package	QTY / CTN	G.W	Dimension
NC-IN-61012-A	1W x 18PCS	white	12~28V DC	Color box	20 PCS	11.5 Kg	51 x 27 x 30 CM



LED WORK LAMPS



LED Scene Lights

PART NO.: **NC-IN-61012**

E-MARK



1-3 Lx
3-10 Lx
10-25 Lx
25-40 Lx






Specifications

- ⊙ 30W, Effective 2500 Lm output
- ⊙ Aluminum housing, Polycarbonate Lens
- ⊙ Working temperature: -40°C to +50°C
- ⊙ Waterproof IP67, shock resistance 20g
- ⊙ E-mark, CE, RoHS approved

PART NO.	LED	Color	Volt	Package	QTY / CTN	G.W	Dimension
NC-IN-61012-B	1W x 30PCS	white	12~28V DC	Color box	20 PCS	16.5 Kg	51 x 38 x 31 CM



1-3 Lx
3-10 Lx
10-25 Lx
25-40 Lx



Specifications

- ⊙ 42W, Effective 3500 Lm output
- ⊙ Aluminum housing, Polycarbonate Lens
- ⊙ Working temperature: -40°C to +50°C
- ⊙ Waterproof IP67, shock resistance 20g
- ⊙ E-mark, CE, RoHS approved

PART NO.	LED	Color	Volt	Package	QTY / CTN	G.W	Dimension
NC-IN-61012-C	1W x 42PCS	white	12~28V DC	Color box	10 PCS	11 Kg	43.5 x 34 x 21 CM



LED WORK LAMPS

LED Scene Lights

PART NO.: **NC-IN-61013**




NC-IN-61013-WH

Housing's Color : white

NC-IN-61013-BK

Housing's Color : black



Specifications

- ⊙ Volt: 12~28V DC
- ⊙ LED: 9 x 0.5 Watt SMDs
- ⊙ 4.5W, 550Lm output
- ⊙ With or without touch switch
- ⊙ Polycarbonate Lens
- ⊙ Waterproof IP67
- ⊙ CE, RoHs approved



PART NO.	LED	Switch	Color	Power	Lumen	Package	QTY / CTN	G.W	Dimension
NC-IN-61013-WH-01	9 x 2835SMD	with touch switch	white	4.5 Watt	550 lm	Color box	100 PCS	12.5 Kg	50 x 35 x 30 CM
NC-IN-61013-WH-02	9 x 2835SMD	without touch switch	white	4.5 Watt	550 lm	Color box	100 PCS	12.5 Kg	50 x 35 x 30 CM
NC-IN-61013-BK-01	9 x 2835SMD	with touch switch	white	4.5 Watt	550 lm	Color box	100 PCS	12.5 Kg	50 x 35 x 30 CM
NC-IN-61013-BK-02	9 x 2835SMD	without touch switch	white	4.5 Watt	550 lm	Color box	100 PCS	12.5 Kg	50 x 35 x 30 CM



LED WORK LAMPS

LED Scene Lights

PART NO.: **NC-IN-61014**




NC-IN-61014-WH

Housing's Color : white

NC-IN-61014-BK


Housing's Color : black



Specifications


- ⊙ Volt:12~28V DC
- ⊙ LED:18 x 0.5 Watt SMDs
- ⊙ 9W,1000Lm output
- ⊙ With or without touch switch

- ⊙ Polycarbonate Lens
- ⊙ Waterproof IP67
- ⊙ CE,RoHs approved



PART NO.	LED	Switch	Color	Power	Lumen	Package	QTY / CTN	G.W	Dimension
NC-IN-61014-WH-01	18 x 2835SMD	with touch switch	white	9 Watt	1000 lm	Color box	40 PCS	10.5 Kg	55 x 34 x 23 CM
NC-IN-61014-WH-02	18 x 2835SMD	without touch switch	white	9 Watt	1000 lm	Color box	40 PCS	10.5 Kg	55 x 34 x 23 CM
NC-IN-61014-BK-01	18 x 2835SMD	with touch switch	white	9 Watt	1000 lm	Color box	40 PCS	10.5 Kg	55 x 34 x 23 CM
NC-IN-61014-BK-02	18 x 2835SMD	without touch switch	white	9 Watt	1000 lm	Color box	40 PCS	10.5 Kg	55 x 34 x 23 CM

APPLIED VEHICLES



20 YEARS
2003-2023



I A T F 1 6 9 4 9 : 2 0 1 6

※ The parameters of each items in this catalog is just for your reference.
※ There may be a little differences on parameters for each times base on different requirement of customers.